

IAR GEL

CERBATIONS

Pharmaceuticals, Inc., Ellicott City, MD

RESULTS

White Blood Cell Summary

Table 2: Cell Counts and Automated Differential

	IVMP			Acthar			p Values		
	Baseline	Day 3	Day 5	Baseline	Day 3	Day 5	Baseline	Day 3	Day 5
Total WBC ($\times 10^9/\text{mm}^3$)	7.22 (1.05)	20.7 (3.46)	15.4 (3.11)	6.81 (1.12)	12.7 (3.89)	12.9 (3.04)	0.20	<0.0001	0.002
% Neutrophils	56.1 (6.83)	85.5 (4.82)	80.8 (6.52)	55.1 (8.30)	70.7 (9.05)	63.3 (8.99)	0.78	<0.0001	<0.0001
% Lymphocytes	31.7 (5.29)	9.08 (3.59)	12.6 (5.06)	31.0 (6.84)	21.4 (7.67)	28.3 (7.97)	0.70	<0.0001	<0.0001

Mean (SD); N=17 for IVMP, N=18 for Acthar; all analyses done at pre-dose each day; statistical analyses comparing IVMP and Acthar cell counts and % were done by the Mann-Whitney test. Flow cytometry data further support these findings (data not shown).

Safety Assessment Summary

- All observed AEs were mild in severity.
- In this healthy subject study, there were more drug-related AEs observed after IVMP administration than with Acthar; however, the number of subjects experiencing AEs with each treatment was not statistically different.
- Although mean blood glucose values did not significantly differ after administration of Acthar as compared to IVMP, the range of blood glucose values was larger following IVMP.
- Effects of Acthar and IVMP on mean arterial pressure (MAP) were similar and relatively small based upon this crossover study in the healthy subject population.

SUMMARY & CONCLUSIONS

- In this study, the total steroid exposure was statistically greater for IVMP than Acthar, demonstrated by serum and PUF cortisol-equivalent exposure ratios (Acthar:IVMP) on Day 5 of 0.04 ± 0.01 and 0.06 ± 0.03 , respectively, (p-value of <0.001 in both cases).
- Assuming linearity, 80 U of Acthar would equate to approximately 40–60 mg of IVMP based upon total serum and free plasma steroid (cortisol equivalent) exposure.
- In this healthy subject population, the total WBC increased less following Acthar as compared with IVMP ($p < 0.005$). Acthar appeared to cause less lymphopenia and neutrophilia than IVMP, with greater recovery of lymphocyte and neutrophil counts by Day 5.
- Although some differences in the pharmacodynamic outcomes and safety assessments were noted in this healthy subject crossover study (N=18), the extrapolation and relevance to patient population clinical outcomes remains to be investigated.

A
P
an

Important Safety Information

- Acthar should never be administered intravenously.
- Administration of live or live attenuated vaccines is contraindicated in patients receiving immunosuppressive doses of Acthar.
- Acthar is contraindicated where congenital infections are suspected in infants.
- Acthar is contraindicated in patients with scleroderma, osteoporosis, systemic fungal infections, ocular herpes simplex, recent surgery, history of or the presence of a peptic ulcer, congestive heart failure, uncontrolled hypertension, primary adrenocortical insufficiency, adrenocortical hyperfunction or sensitivity to proteins of porcine origin.
- The adverse effects of Acthar are related primarily to its steroidogenic effects.
- Acthar may increase susceptibility to new infection or reactivation of latent infections.
- Suppression of the HPA may occur following prolonged therapy with the potential for adrenal insufficiency after withdrawal of the medication. Cushing's syndrome may occur during therapy but generally resolves after therapy is stopped. Monitor patients for signs and symptoms.
- Monitor patients for elevation of blood pressure, salt and water retention, and hypokalemia.
- Acthar often acts by masking symptoms of other diseases/disorders. Monitor patients carefully during and following discontinuation.
- Acthar can cause GI bleeding and gastric ulcer, with an increased risk for perforation with certain GI disorders. Monitor for signs of bleeding.
- Acthar may be associated with CNS effects ranging from euphoria, insomnia, irritability, mood swings, personality changes, depression, and psychosis. Existing conditions may be aggravated.
- Patients with comorbid disease may have that disease worsened. Caution should be used in patients with diabetes and myasthenia gravis.
- Prolonged use of Acthar may produce cataracts, glaucoma and secondary ocular infections.
- Acthar is immunogenic and prolonged use may increase the risk of hypersensitivity reactions.
- There is an enhanced effect in patients with hypothyroidism and those with cirrhosis of the liver.
- Long-term use may have negative effects on growth and physical development in children. Monitor pediatric patients.

- Decrease in bone density may occur. Monitor during long-term therapy.
- Pregnancy Class C: Acthar has been shown to have an embryocidal effect and should be used during pregnancy only if the potential benefit justifies the potential risk to the fetus.
- Common adverse reactions include fluid retention, alteration in glucose tolerance, elevation in blood pressure, behavioral and mood changes, increased appetite, and weight gain.
- Specific adverse reactions reported in IS clinical trials in infants and children under 2 years of age included: infection, hypertension, irritability, Cushingoid symptoms, constipation, diarrhea, vomiting, pyrexia, weight gain, increased appetite, decreased appetite, nasal congestion, acne, rash, and cardiac hypertrophy. Convulsions were also reported, but these may actually be occurring because some IS patients progress to other forms of seizures and IS sometimes mask other seizures, which become visible once the clinical spasms from IS resolve.

Other adverse events reported are included in the full Prescribing Information.

Please see the accompanying full Prescribing Information for additional Important Safety Information.

 QUESTCOR®



H.P. Acthar® GEL
(repository corticotropin injection) 80 U/mL

EXHIBIT G

QUESTCO

FRM-0038; Revision 01
PAGE 1

Questcor Pharmaceuticals, Inc.
3260 Whipple Road
Union City, California 94587
www.questcor.com

Medical Information Request Form (MIR) for Healthcare Professionals	
Product:	H.P. Acthar® Gel <input type="checkbox"/> Doral® Tablets <input type="checkbox"/>
Name of Healthcare Professional/Requestor:	Date:
Healthcare Professional: <input checked="" type="checkbox"/> MD <input type="checkbox"/> DO <input type="checkbox"/> Pharm D <input type="checkbox"/> RN <input type="checkbox"/> RPh <input type="checkbox"/> NP <input type="checkbox"/> PA <input type="checkbox"/> Other <input type="checkbox"/> (please specify): _____	
Healthcare Professional Specialty:	_____
Name of Medical Organization:	_____
Type of Organization:	Clinic <input type="checkbox"/> Private Practice <input type="checkbox"/> Medical Center <input type="checkbox"/> Govt. Medical Facility <input type="checkbox"/> Academic Institution <input type="checkbox"/> Community/Patient <input type="checkbox"/> Association/Foundation <input type="checkbox"/> Other <input type="checkbox"/> (please specify): _____
Healthcare Professional/Requestor - Mailing Information	
Address: _____	
City: _____	State: _____ Zip: _____
Healthcare Professional/Requestor - Contact Information:	
Phone No.: _____	Fax No.: _____
Email: _____	
Preferred Route of Delivery (check preference(s)): Mail <input type="checkbox"/> *Fax <input type="checkbox"/> *E-mail <input type="checkbox"/>	
Does this inquiry involve patient(s) who received Questcor product(s)? Yes <input type="checkbox"/> No <input type="checkbox"/>	
Inquiry/Literature Request: _____	
I acknowledge that I have requested the information described above to be provided to me by Questcor Pharmaceuticals Inc. or a designated agent.	
Signature of Healthcare Professional/Requestor: _____	
Title: _____	
Date: _____	

*Copyright limitations may prohibit electronic dissemination; therefore FedEx Overnight will be used in these cases.

Questcor Representative acknowledging unsolicited request:
From: _____
Signature: _____

Please fax this form to the following number: 1-866-405-9677

For any further information regarding your medical inquiry, please contact MI at 1-800-466-9217.

EXHIBIT H



Acthar Support & Access Program (A.S.A.P.)

Phone: 1-888-435-2284 Fax: 1-877-937-2284

**ACTHAR SUPPORT
& ACCESS PROGRAM**
 A Division of Acthar®

Please submit this referral form and outpatient prescription to initiate Acthar therapy. The Acthar Support & Access Program is available Monday – Friday from 8:00 am – 8:00 pm Eastern Time

Last Name	First Name	Today's Date		Date Needed			
Caregiver Name	Relationship	Cell Phone	Prescriber Full Name		Tax ID#		
				Amos Katz, MD		611593966	
Home Phone Number		Work Phone Number		Hospital/Clinic		Medicaid / Medicare Provider #	
				Centrastate Medical Center - MS Center			
Home Address	City	State	Zip	Prescriber Address	City	State	Zip
				901 W. Main Street	Freehold	NJ	07728
Shipping Address (if different from home address)		<input type="checkbox"/> Physician <input type="checkbox"/> Home <input type="checkbox"/> Other		Primary Office Contact	Contact's Direct Phone Number:		
				Michele Emmons	732-637-6305		
Gender: <input type="checkbox"/> Male <input type="checkbox"/> Female		Date of Birth:		Back-Up Office Contact	Contact's Direct Phone Number:		
				Rita	732-294-2505		
Language Preference: <input type="checkbox"/> English <input type="checkbox"/> Spanish <input type="checkbox"/> Other				Prescriber Specialty:	<input checked="" type="checkbox"/> Neurology	<input type="checkbox"/> Nephrology	<input type="checkbox"/> Rheumatology
Allergies		Patient Weight		Office Main Phone Number	Office Fax Number:		
				732-294-2505			

Special Instructions:

INSURANCE INFORMATION

(Fill out entirely & fax a copy of patient's insurance card, both sides)

 Uninsured (Notes: _____)

Primary Insurance: _____

Policy Holder Name: _____

Policy Holder DOB: _____

Policy #: _____

Group #: _____

Phone #: _____

Rx Drug Card: Name _____

Card #: _____

Diagnosis / Prior Authorization Info*

Primary Diagnosis: Infantile Spasms Multiple Sclerosis
 Nephrotic Syndrome Dermatomyositis Polymyositis

 Other (Specify) _____

ICD-9 Code (if known): 340

For IS patients only: Has Patient Started Treatment? Yes No
 If yes, date started: _____ Patient is currently Inpatient Outpatient

*ASAP will let you know if the patient's insurer requires a Prior Authorization. Please be prepared to fax applicable chart notes, treatment history, Letter of Medical Necessity, etc if requested for supporting documentation. Fax items to ASAP at 1-877-937-2284

PRESCRIPTION FORM

(Please PRINT clearly and SIGN below.)

ACTHAR GEL 80 UNITS/ML 5ML MULTI DOSE VIAL

Sig: 80 units once / day for 5 consecutive days

Route of Administration: IM SC

Qty: 1 Refills x: 0

Supplies: Please check and complete all that apply

 1 cc syringe Quantity: _____ 23 g needle 1 inch Quantity: _____ 3 cc syringe Quantity: _____ 25 g needle 1 inch Quantity: _____ 25 g needle 5/8 inch Quantity: _____ Other: _____Home Injection Training Services (HITS) *For Adult Cases Only*

By initialing here (original required, cannot copy) I request that company-funded HITS services be arranged for my patient. I understand that HITS is for one instruction visit only and NOT a Home Health Nursing Service. I also understand that all reasonable efforts will be made to schedule the HITS training visit within 48 hours of the patient's receipt of drug shipment. Date: _____ Initials: _____

PRESCRIBER CONSENT (Required) I authorize BioSolutia® Pharmaceutical Services LLC (BPS) as the operator of the Acthar Support and Access Program, to be my designated agent and to act as my business associate (as defined in 45 CFR 160.103) to use and disclose any information about any patients enrolled with the program support center to the insurer of such patients and to obtain any information about such patients, including any protected health information (as defined in 45 CFR 160.103), from the insurer, including eligibility and other benefit coverage information, for my payment and/or health care operation purposes, and from health care providers, such as pharmacies, for treatment purposes, including to track the status of medications dispensed by those pharmacies for my patients for coordination of care and related purposes. BPS may de-identify any and all protected health information of my patients, provided that the de-identification complies with the requirements set forth in 45 CFR 164.514(b). As my business associate, BPS is required to comply with, and by its signature hereto, agrees that it will comply with, the applicable requirements of 45 CFR §§ 164.308 – 164.312, 164.410, 164.504(e) and the HITECH Act regarding business associates, and that it will safeguard any protected health information that it obtains on my behalf, and will use and disclose this information only for the purposes specified herein or as otherwise required by law. I certify that H.P. Acthar® Gel is medically necessary for this patient and that I have reviewed this therapy with the patient and will be supervising the patient's treatment. I understand that representatives from A.S.A.P. may contact my patient for additional information relating to this referral. I acknowledge and agree that the designated specialty pharmacy receive this prescription via a designated third party, A.S.A.P., and that no additional confirmation of receipt of prescription is required by the designated specialty pharmacy.

PRESCRIBER SIGNATURE REQUIRED TO CONSENT AND VALIDATE PRESCRIPTIONS – Original Signature, No Stamps

Prescriber Signature: _____

Date: _____ NPI#: 1952411340

State License#: 25MA04219600

Rev. 2012.11.27

H.P. Acthar® GEL
(repository corticotropin injection) 80 U/ml

Acthar Support & Access Program (A.S.A.P.)

Phone: 1-888-435-2284 Fax: 1-877-937-2284

**ACTHAR SUPPORT
& ACCESS PROGRAM**
A.S.A.P.

Please submit this referral form and outpatient prescription to initiate Acthar therapy. The Acthar Support & Access Program is available Monday – Friday from 8:00 am – 8:00 pm Eastern Time

Last Name	First Name	Today's Date			Date Needed		
Caregiver Name	Relationship	Cell Phone	Prescriber Full Name			Tax ID#	
			Terence McAlarney, MD			562440977	
Home Phone Number		Work Phone Number	Hospital/Clinic			Medicaid / Medicare Provider #	
			CentraState Medical Center - MS Center				
Home Address	City	State	Zip	Prescriber Address	City	State	Zip
				901 W. Main Street	Freehold	NJ	07728
Shipping Address (if different from home address)		<input type="checkbox"/> Physician	<input type="checkbox"/> Home	<input type="checkbox"/> Other	Primary Office Contact	Contact's Direct Phone Number:	
					Michele Emmons	732-637-6305	
Gender: <input type="checkbox"/> Male <input type="checkbox"/> Female		Date of Birth:			Back-Up Office Contact	Contact's Direct Phone Number:	
					Rita	732-294-2505	
Language Preference: <input type="checkbox"/> English		<input type="checkbox"/> Spanish	<input type="checkbox"/> Other	Prescriber Specialty:	<input checked="" type="checkbox"/> Neurology	<input type="checkbox"/> Nephrology	<input type="checkbox"/> Other
Allergies		Patient Weight			Office Main Phone Number	Office Fax Number:	
732-294-2505							
Special Instructions:							

INSURANCE INFORMATION

(Fill out entirely & fax a copy of patient's insurance card, both sides)

Uninsured (Notes: _____)

Primary Insurance: _____

Policy Holder Name: _____

Policy Holder DOB: _____

Policy #: _____

Group #: _____

Phone #: _____

Rx Drug Card: Name _____ Card #: _____

Diagnosis / Prior Authorization Info*

Primary Diagnosis: Infantile Spasms Multiple Sclerosis
 Nephrotic Syndrome Dermatomyositis Polymyositis

Other (Specify) Acute MS Exacerbation

ICD-9 Code (if known): 340

For IS patients only. Has Patient Started Treatment? Yes No
If yes, date started: _____ Patient is currently Inpatient Outpatient

* ASAP will let you know if the patient's insurer requires a Prior Authorization. Please be prepared to fax applicable chart notes, treatment history, Letter of Medical Necessity, etc if requested for supporting documentation. Fax items to ASAP at 1-877-937-2284

PRESCRIPTION FORM

(Please PRINT clearly and SIGN below.)

ACTHAR GEL 80 UNITS/ML 5ML MULTI DOSE VIAL

Sig: 80 units once / day for 5 consecutive days

Route of Administration: IM SC

Qty: _____ Refills x: _____

Supplies: Please check and complete all that apply

1 cc syringe Quantity: _____ 23 g needle 1 inch Quantity: _____

3 cc syringe Quantity: 6 25 g needle 1 inch Quantity: _____

25 g needle 5/8 inch Quantity: 6

Other: _____

Home Injection Training Services (HITS)

For Adult Cases Only

By initialing here (original required, cannot copy) I request that company-funded HITS services be arranged for my patient. I understand that HITS is for one instruction visit only and NOT a Home Health Nursing Service. I also understand that all reasonable efforts will be made to schedule the HITS training visit within 48 hours of the patient's receipt of drug shipment. Date: _____ Initials: _____

PRESCRIBER CONSENT (Required) I authorize BioSolutia® Pharmaceutical Services LLC (BPS) as the operator of the Acthar Support and Access Program, to be my designated agent and to act as my business associate (as defined in 45 CFR 160.103) to use and disclose any information about any patients enrolled with the program support center to the insurer of such patients and to obtain any information about such patients, including any protected health information (as defined in 45 CFR 160.103), from the insurer, including eligibility and other benefit coverage information, for my payment and/or health care operation purposes, and from health care providers, such as pharmacies, for treatment purposes, including to track the status of medications dispensed by those pharmacies for my patients for coordination of care and related purposes. BPS may de-identify any and all protected health information of my patients, provided that the de-identification complies with the requirements set forth in 45 CFR 164.514(b). As my business associate, BPS is required to comply with, and by its signature hereunto, agrees that it will comply with, the applicable requirements of 45 CFR §§ 164.308 – 164.312, 164.410, 164.504(e) and the HITECH Act regarding business associates, and that it will safeguard any protected health information that it obtains on my behalf, and will use and disclose this information only for the purposes specified herein or as otherwise required by law. I certify that H.P. Acthar® Gel is medically necessary for this patient and that I have reviewed this therapy with the patient and will be supervising the patient's treatment. I understand that representatives from A.S.A.P. may contact my patient for additional information relating to this referral. I acknowledge and agree that the designated specialty pharmacy receive this prescription via a designated third party, A.S.A.P., and that no additional confirmation of receipt of prescription is required by the designated specialty pharmacy.

PRESCRIBER SIGNATURE REQUIRED TO CONSENT AND VALIDATE PRESCRIPTIONS – Original Signature, No Stamps

Prescriber Signature: _____

Date: _____ NPI#: 1184773707

State License#: 25MA072179

Rev. 26/11/27

EXHIBIT I

PATIENT INFORMATION

PATIENT FIRST NAME	PATIENT MIDDLE INITIAL	PATIENT LAST NAME	DATE OF BIRTH	GENDER
HOME ADDRESS		CITY	STATE	ZIP
SHIPPING ADDRESS (IF NOT HOME ADDRESS)		CITY	STATE	ZIP
TELEPHONE	ALTERNATE TELEPHONE	BEST TIME TO CALL	PREFERRED LANGUAGE IF NOT ENGLISH	
EMAIL ADDRESS	PATIENT REPRESENTATIVE	RELATIONSHIP	TELEPHONE	

REFERRAL REVIEW AND COMPLETION

Acthar Support and Access Program Patient Authorization

By signing this authorization, I authorize my physician(s), my health insurance company, and my pharmacy providers to disclose to Questcor Pharmaceuticals, Inc., the manufacturer of Acthar ("Questcor"), its agents, authorized designees and contractors, including United BioSource Corporation ("UBC") or any other operator of the Acthar Support and Access Program on behalf of Questcor (collectively, "Designated Parties"), health information relating to my medical condition, treatment, and insurance coverage (my "Health Information") in order for them to provide certain services to me, including reimbursement and coverage support, patient assistance and access programs, medication shipment tracking, and home injection training and also to provide me with other educational and support services associated with Acthar therapy, and for the Acthar Support and Access Program's proper management and administration and for Questcor to carry out its legal responsibilities. (Please see reverse side for full Authorization.)

Patient Authorization and Registration for optional supplemental education and support programs available for patients prescribed Acthar.

Questcor provides ongoing education and support for patients whose healthcare providers have determined that Acthar is the appropriate clinical therapy for their patients. Check the appropriate box(es) and sign below to participate and receive ongoing education and support at no cost to you. Specifically, I authorize Questcor and its agents to receive, use, and disclose my health information relating to my medical condition, treatment, insurance coverage, and contact information from me, my health care providers, and my health insurance company in order to (1) contact me about participation in Acthar patient programs; (2) provide me with educational or information materials; (3) administer its education and support programs appropriately; (4) conduct surveys that request my feedback; and (5) for Questcor to carry out its legal responsibilities. I agree to let Questcor or its agents contact me in the future about these offerings. (Please see reverse side for full Authorization.)

By checking this box and signing below, I confirm understanding of the Patient Authorization for the Acthar Support and Access Program.

By checking this box and signing below, I confirm understanding of the Patient Authorization and Registration for optional supplemental education and support programs available for patients prescribed Acthar.

PATIENT NAME OR LEGAL REPRESENTATIVE	PATIENT SIGNATURE	IF LEGAL REPRESENTATIVE, RELATIONSHIP TO PATIENT	DATE
--------------------------------------	-------------------	--	------

3. INSURANCE INFORMATION (PLEASE INCLUDE COPIES OF CARDS)

PHARMACY BENEFITS	SUBSCRIBER ID #	GROUP #	TEL #
PRIMARY MEDICAL INSURANCE	POLICY HOLDER /RELATIONSHIP	SUBSCRIBER ID #	GROUP #
			TEL #

4. HCP INFORMATION

HCP FIRST NAME	HCP LAST NAME	HCP MIDDLE INITIAL	NPI #	GROUP NPI # (IF APPLICABLE)	STATE LICENSE #
SPECIALTY: <input type="checkbox"/> NEPHROLOGY <input type="checkbox"/> NEUROLOGY <input type="checkbox"/> PULMONOLOGY <input type="checkbox"/> RHEUMATOLOGY <input type="checkbox"/> OTHER					
FACILITY NAME		TELEPHONE	FAX		
ADDRESS		CITY	STATE	ZIP	
OFFICE CONTACT NAME		CONTACT TELEPHONE	EMAIL ADDRESS	PREFERRED METHOD OF COMMUNICATION	

5. PRESCRIPTIONS FOR ACTH[®] GEL (ACTH[®] GEL 80 U/mL 5 mL multidose vials containing 80 U USP units per mL)

DIAGNOSIS:

INITIATE PATIENT WITH:

DOSE: UNITSDOSE: ML

SCHEDULE/FREQUENCY: EVERY

 HOURS DAYS WEEKS MONTHS DAYS WEEKS MONTHS

ROUTE OF ADMINISTRATION

 INTRAMUSCULAR SUBCUTANEOUS

QUANTITY OF 5 mL MULTIDOSE VIALS:

REFILLS:

ADDITIONAL SPECIAL INSTRUCTIONS, OR TAPER DOSE, IF APPLICABLE:

SUPPLIES:

SYRINGE SIZE: 1 cc 3 cc (other) QUANTITY: NEEDLE SIZE: 20 g needle, 1 inch 23 g needle, 1 inch 25 g needle, 1 inch 25 g needle, 5/8 inch (other) QUANTITY:

OTHER SUPPLIES:

REFILLS:

HOME INJECTION TRAINING SERVICES (HITS) FOR ADULT PATIENTS

By initialing here (original required) I request that company-funded HITS services be arranged for my patient. I understand that HITS is for one instruction visit only and NOT a home health nursing service. I also understand that all reasonable efforts will be made to schedule the HITS training visit within 24 hours of the patient's receipt of drug shipment.

INITIALS

DATE

6. PRESCRIPTION CONSENT AND STATEMENT OF MEDICAL NECESSITY - HCP SIGNATURE REQUIRED

I certify that H.P. Acthar[®] Gel is medically necessary for this patient and that I have reviewed this therapy with the patient and will be monitoring the patient's treatment. I verify that the patient and healthcare provider information on this enrollment form is complete and accurate to the best of my knowledge. (Continued on reverse.)

HCP Prescriber Signature - Please sign ONE LINE below

EXPENSE AS WRITTEN

DATE

SUBSTITUTIONS ALLOWED

DATE

Prescriber signature required to consent and validate prescriptions. Prescriber attests that this is her/his signature, NO STAMPS. By signing, I certify that the above is medically necessary.



H.P Acthar® GEL
(repository corticotropin injection) 80U/mL

2.50. PATIENT REVIEW AND COVERAGE COMMENCED FROM REVERSE

Acthar Support and Access Program Patient Authorization (Continued from reverse)

Once my Health Information has been disclosed to the Designated Parties, I understand that it may be redisclosed by them as permitted by this authorization or as otherwise permitted or required by law and will no longer be protected by federal and state privacy laws. However, the Designated Parties agree to protect my Health Information by using and disclosing it only for the purposes authorized in this authorization or as permitted or required by law.

I understand that I may refuse to sign this authorization and that my physician and pharmacy will not condition my treatment on my agreement to sign this authorization form, and my health plan or health insurance company will not condition payment for my treatment, insurance enrollment or eligibility for insurance benefits on my agreement to sign this authorization form. I understand that my pharmacies may receive payment in connection with the disclosure of my Health Information as provided in this authorization. I understand that I am entitled to receive a copy of this authorization after I sign it.

I may revoke (withdraw) this authorization at any time by mailing a letter to Acthar Support and Access Program at 25125 Santa Clara St. #E287, Hayward, CA 94544-2109, or by sending an email to ASAP@questcor.com. Revoking this authorization will end further disclosure of my Health Information to Questcor by my pharmacy, physicians and health insurance company when they receive a copy of the revocation, but it will not apply to information they have already disclosed to the Designated Parties based on this authorization. If I revoke or withdraw this authorization, I know that this means I may no longer be able to receive assistance from the Acthar Support and Access Program.

This authorization is in effect for 1 year once I have signed it unless I cancel it before then.

Patient Authorization and Registration for optional supplemental education and support programs available for patients prescribed Acthar (Continued from reverse)

Specifically, I authorize Questcor and its agents to receive, use, and disclose my health information relating to my medical condition, treatment, insurance coverage, and contact information from me, my health care providers, and my health insurance company in order to (1) contact me about participation in Acthar patient programs; (2) provide me with educational or information materials; (3) administer its education and support programs appropriately, (4) conduct surveys that request my feedback and (5) for Questcor to carry out its legal responsibilities. I agree to let Questcor or its agents contact me in the future about these offerings. Once my health information has been disclosed to the education and/or support program I choose to participate in, I understand that it may be re-disclosed by Questcor or its agents, and they are authorized to use or disclose this information in the manner described here and as permitted by this authorization or as otherwise permitted or required by law, and that federal and state privacy laws may no longer protect the information. However, the Questcor and its agents agree to protect my health information by using and disclosing it only for the purposes described in this authorization or as permitted or required by law.

I also know I may cancel my enrollment in a patient support program at any time by contacting Questcor at 25125 Santa Clara St. #E287, Hayward, CA 94544-2109, or by sending an email to ASAP@questcor.com. Cancelling this authorization will end further use or disclosure of my health information by Questcor or its agents (except to the extent that such parties took actions based on this authorization prior to my revocation). If I withdraw my permission, I know that this means I may no longer receive information on supplemental education programs. Once I withdraw my permission, no new information will be disclosed to Questcor or its agents, but Questcor and its agents may continue to use the information that was collected before I withdrew my permission as permitted by this authorization or as otherwise permitted or required by law.

I understand I do not have to sign this form. It plays no role in getting my medicine. It is not part of receiving help from the Acthar Support and Access Program, which is different from the optional ongoing education and support program.

6. PRESCRIPTION CONSENT AND STATEMENT OF MEDICAL NECESSITY (CONTINUED FROM REVERSE)

I authorize United BioSource Corporation ("UBC"), the current operator of the Acthar Support and Access Program ("Program"), and other designated operators of the Program, to perform a preliminary assessment of benefit verification for this patient and furnish information requested by the patient's insurer that is available on this form. I understand that insurance verification is ultimately the responsibility of the provider and third-party reimbursement is affected by a variety of factors. While UBC tries to provide accurate information, they and Questcor make no representations or warranties as to the accuracy of the information provided.

I understand that representatives from the Program or UBC may contact me or my patient for additional information relating to this prescription. I acknowledge and agree that the designated specialty pharmacy receive this prescription via a designated third party, the Program and that no additional confirmation of receipt of prescription is required by the designated specialty pharmacy.

For Patient: _____

DOB: _____

DIAGNOSIS AND MEDICAL INFORMATION

Patient H.P. ACTHAR® Gel Therapy Status: Diagnosis

Naïve/New
 On Therapy
 Restart

Date of most recent treatment:

DD/MM/YYYY

Please select diagnosis and responses to associated questions

Infantile spasms
 Has diagnosis been confirmed by EEG? YES NO

Patient's weight: _____

Requested drug delivery date: _____

Multiple sclerosis

Is Acthar to be used to treat an acute exacerbation? YES NO

Onset of acute exacerbation Date: _____

Proteinuria in nephrotic syndrome

Please indicate etiology:

Focal segmental glomerular sclerosis (FSGS)

IgA nephropathy (IgAN)

Lupus nephritis

Membranous nephropathy (MN)

 Other: _____

Dermatomyositis
 Optic neuritis
 Polymyositis
 Psoriatic arthritis
 Rheumatoid arthritis
 Systemic lupus erythematosus
 Sarcoidosis
 Other diagnosis: _____

RELEVANT TREATMENT HISTORY

Therapy Name	Dose	Start Date	Stop Date (if applicable)	Comment

OR HISTORY OF CORTICOSTEROID USE (IF APPLICABLE)

Please check all that apply

A corticosteroid was tried with the following response(s):

Patient hypersensitive or allergic
 Patient intolerant to corticosteroids
 Corticosteroid use failed, but same response not expected with Acthar
 Other: _____

OR

A corticosteroid was not tried due to the following response(s):

Corticosteroid use is contraindicated for this patient
 Patient has known intolerance to corticosteroids
 Intravenous access is not possible for this patient
 Other: _____

RESIGNATURE REQUIRED DOCUMENT

NAME _____

SIGNATURE _____

DATE _____




EXHIBIT J



AAN 65th ANNUAL MEETING ABSTRACT

Media Contacts:

Rachel Seroka, rseroka@aan.com, (612) 928-6129
Angela Babb, APR, ababb@aan.com, (612) 928-6102

EMBARGOED FOR RELEASE UNTIL 4 P.M. ET, SUNDAY, MARCH 10, 2013

Abstract Title: #P04.269 - Pilot study of monthly pulse adrenocorticotrophic hormone (ACTH) or methylprednisolone as an add-on therapy to beta-interferons for long-term treatment of multiple sclerosis

Press Release Title: Can Hormone Help Treat Multiple Sclerosis Long-Term?

Objective: This single-center, examiner-blinded pilot study evaluated the efficacy and safety of pulse adrenocorticotrophic hormone (ACTH) treatment added to beta-interferon in breakthrough multiple sclerosis (MS) compared with pulse methylprednisolone (MP).

Author(s): Regina Berkovich, MD, PhD; Lilyana Amezcuia, MD; Dawood Subhani, MBBS; Steven Cen, PhD

Background: ACTH may have immune-modulating mechanisms beyond steroidogenesis that are relevant to the MS disease course. Although ACTH gel is approved to treat MS relapses, its use as pulse therapy is less known.

Designs/Methods: MS patients receiving ongoing beta-interferon treatment were eligible if they had Expanded Disability Status Scale (EDSS) scores of 3.0-6.5 and ≥ 1 relapse or new T2 or Gadolinium-enhanced lesion within the previous year. Patients were randomly assigned to open-label ACTH (80 units IM once/day \times 3 consecutive days) or MP (1 gram IV \times 1 dose) monthly for 12 months, with assessments every 3 months for 15 months. Outcomes included relapse rate (primary), EDSS, MS Functional Composite, and MS Quality of Life.

Results: The study included 23 patients (ACTH: n=12, mean \pm SD EDSS 4.6 \pm 1.5; MP: n=11, mean \pm SD EDSS 4.6 \pm 1.3). Over 15 months, the cumulative number of relapses/patient was 0.08 (95% CI: 0.01-0.54) with ACTH and 0.80 (95% CI: 0.36-1.75) with MP (risk ratio [MP vs ACTH]: 9.56 [95% CI: 1.23-74.6; P=0.03]). The cumulative number of psychiatric episodes/patient was greater with MP (0.55 [95% CI: 0.12-2.6]) than with ACTH (0 episodes; P<0.0001). The urinary tract infection cumulative incidence rate with MP was 0.65/patient and with ACTH was 0.16/patient (P=0.25). Mixed effect modeling showed no difference between groups in trajectory slopes of EDSS over time, but significantly stronger (P=0.03) improvement in Mental Health Inventory for ACTH (slope: 0.95/month [P=0.02]) compared with MP (slope: 0.29/month [P=0.32]).

Conclusions: These data suggest a potential benefit of ACTH pulse therapy in breakthrough MS with more favorable relapse and psychiatric side effect profiles. Further studies, including randomized controlled trials are needed to validate these findings.

EXHIBIT K

ACTHAR

CUSTOMER PROFILE

SPECIALIST Lisa Pratta

Physician Name Taimur Zaman MD

Partners _____

Address 151 Fries Mill

Road _____

City Turnersville State NJ Zip 08080 Email wont give out

Phone 856-269-4258 Cell wont give out

Best days and times for reps.

M anyday T W TH F

Lunch Appt. Yes x No Other appt. times _____

Dates of lunch appts: every other month in 2016

Dates of RRM visits: _____

Dates of MDM visits where appropriate: _____

Office Network

Receptionist name his recep-
Cindy

Nurses none
hired

MA's (who process referrals?) Rhonda Cell wont give out

System in place to track referrals with key staff member? Y/N who manages? yes and ma manages-one ma per doc

Prior Authorization Nurse- Key contact for RRM if different than above? _____

NP's (RX Acthar?) none in practice Cell _____

PA's (Rx Acthar?) _____ non in
 practice _____ Cell _____

Office Mgr _____ See
 Irby _____ Cell _____

Other staff _____ see
 Irby _____ Cell _____

Use Care PLUS or HUB?
 _____ HUB and a new physician to
 Acthar _____

Which MC plans present more challenges in obtaining prior authorizations?

Med D plans, Aetna, HBCBS, Aetna, UHC, Prime
 Therapeutics

PAYER

	Private Insurance	Medicare	Medicaid	Cash
% of patients	50	50		

What are some of the most common plans that your patients are covered by w % of practice?
 (Might have to get from staff) _____ see
 above

What is the paid shipped percentage in this account? _____ new to Acthar-learning

Physician Volume (monthly)

IVMP Average Monthly Volume: _____ na

ACTHAR:

ACTHAR Advocate Y/N? In what patient types? _____ new to
 Acthar

ACTHAR monthly volume

Nov _____ Dec _____ Jan _____ Feb _____ Mar _____ Apr _____ May _____
 June _____ Jul _____ Aug _____ Sept _____ Oct _____ Nov _____ Dec _____

Is the physician an ACTHAR Prescriber? Who writes primarily in the clinic? _____ no
 clinic

Profiling Questions

DISEASE - MS

# MS Patients per Month	What are their 1 st and 2 nd line DMT's?	When do they switch DMT's?
Newly Diagnosed: <u>2</u>	<u>Depends on the patient</u>	<u>Sub optimal or adverse reaction</u>
Relapse: _____		

- Total MS patients in Veeva /12

- Relapse 34% of all DMT's

Is The ARMS survey in place? Used with all MS patients?

yes

In MS what are the key side effects reported by the infusion suite on IVMP?

na

—

Disease IS


Infantile Spasm	Comments
What is treatment protocol? 1 st line Acthar?	<u>He does not treat IS</u>
Where is the Patient treated? Key staff at Hospital?	

Belief continuum:

Working Within the Belief Continuum

You have been using the Belief Continuum as an internal "check" to see where each of your accounts resides and to help you choose the most effective messages and promotional materials for each encounter. The Belief Continuum has been expanded to include 6 phases (see below). All HCPs can benefit from understanding the role of Acthar in treating MS relapse, but certain segments may be at different places along the continuum.

THE BELIEF CONTINUUM



FOR INTERNAL USE ONLY. NOT FOR PROMOTION OR USE WITH HCPs.

Acthar[®] Gel
Guaranteed Satisfaction or Money Refund

For info
Refund

Where does this Physician fall on the belief continuum? Why? And next steps? _____ new _____

How often do they see patients for follow-up? _____ Post relapse in 3 weeks And if relapse free-yearly _____

Are samples important to the clinic for trial? _____

Sample dates: _____

Dates of in services _____

Clinical Discussions:

Does the physician have a solid understanding of ACTHAR Gels MOA and can explain it (MC receptors, Cortisol levels etc)? _____ new and he is learning _____

In IS is the proper dose being prescribed of 75Um2 BID?

na

In IS is high dose prednisone being used? If so why and what is the action plan? _____

In IS does the Physician and staff have the dosing app downloaded and know how to add tapers? _____

In IS does the Physician use or consider treating with Acthar in patients with TS? If not why not and action plans? _____

Does the Physician perceive ACTHAR as a Corticosteroid?

no

Does the Physician understand ACTHAR is indicated first line in relapse? Acthar is not indicated as first line therapy in the treatment of MS relapses If

second line do they understand it is managed care restriction of ACTHAR ONLY?

yes

Given NO MGD CARE issues, does the physician view ACTHAR as standard of care and first line based on value vs restriction?

na

What are next action plans if answer is no?

Does the Physician understand that MANAGED CARE will likely only approve if a patient meets the plans criteria for use?

yes

What is the treatment protocol in relapse that is preferred?

IVMP

Does the physician use IVIG? yes Why/ When?

Plasmapheresis in use? no Why/When?

IN MS what is the treatment Philosophy relative to treating a relapse? Extremely important?

What does follow up with patients look like? post relapse in 3 weeks with a phone call to patient before visit after treatment with ivmp, if patient is healthy they will the the doc yearly

Date

CALL NOTES

	CALL OBJECTIVES: Based on above
	DATA PRESENTED:

Date

NOTES

EXHIBIT L



MS Speakers Trained on Acthar®

Approved Speakers		City	St	HCV Speaker Programs	Meet-the-Expert	Patient Specialist Programs
Zahid Alkram, MD*	Hermitage Neurology	Hermitage	PA	X		
Timothy Allen, MD	Fort Collins Neurology	Fort Collins	CO	X		
Nancy Arndt, RN	University of Chicago Medical Center	Chicago	IL	X	X	X
Daniel S. Bandari, MD, MS*	MS Center of Southern California	Newport Beach	CA	X		
Ann Bass, MD*	Neurology Center of San Antonio	San Antonio	TX	X	X	X
Sudhir Batchu, MD*	Columbia Center for Neurology and MS	Columbia	MO	X		
Max Behizadeh, MD	Forest Park Hospital	Chesterfield	MO	X		
Regina Berkovich, MD, PhD*	University of Chicago Medical Center	Los Angeles	CA	X		
David Braverman, MD*	Hope Neurology/MS Center	Knoxville	TN	X	X	X
Staley Brod, MD*	University of Texas at Houston	Houston	TX	X	X	X
Steven Bromley, MD	Bromley Neurology	Albuquerque	NM	X		
Janet Brown, MSN, APRN, MSCN*	Advanced Neuroscience Institute	Franklin	TN	X	X	X
Marie Jean Buhse, RN, PhD, NP	State University of NY Stony Brook School of Nursing	East Meadow	NY	X		
Tina Butterfield, RN	North Shore University Hospital MS Care Center	Jacksonville	FL	X	X	X
Ann Cabot, DO	Upper Valley Neurology/Neurosurgery PC	Lebanon	NH	X		
Jean Baldke Cain, RN*	Lehigh Valley Physicians, Lehigh Valley Hospital	Allentown	PA	X		
Gary Clauser, MD*	Lehigh Valley Physicians, Lehigh Valley Hospital	Allentown	PA	X		
Vincent DiGiovanni, MD	Geisinger Wyoming Valley Medical Center	Wilkes-Barre	PA	X	X	X
Amy Dix, PA	College Park Neurology	Overland Park	KS	X	X	X
Colby Doepel, NP*	Andrew C. Carlos MS Institute	Atlanta	GA	X	X	X
Connie Easterling, ARNP, MSCN*	Neurological Services of Orlando	Orlando	FL	X	X	X

H.P. Acthar® GEL
(repository corticotropin injection) 80 U/ml.

*= MS Specialist



MS Speakers Trained on Acthar®

Approved Speakers		City	State	Hot Speaker Programs	Meet-the-Expert	Patient Speaker Programs
Zahid Akram, MD Hermitage Neurology	Hermitage	PA	PA	X		
Timothy Allen, MD Fort Collins Neurology	Fort Collins	CO		X		
Nancy Arndt, RN University of Chicago Medical Center	Chicago	IL	IL	X	X	X
Daniel S. Bandari, MD, MS* MS Center of Southern California	Newport Beach	CA		X		
Ann Bass, MD* Neurology Center of San Antonio	San Antonio	TX	TX	X	X	X
Sudhir Batchu, MD* Columbia Center for Neurology and MS	Columbia	MO		X		
Max Benzaquen, MD Forest Park Hospital	Chesterfield	MO		X		
Regina Berkovich, MD, PhD* University of Chicago Medical Center	Los Angeles	CA		X		
David Brandes, MD* Hope Neurology/MS Center	Knoxville	TN		X	X	X
Staley Brod, MD* University of Texas at Houston	Houston	TX		X	X	X
Steven Bromley, MD* Bromley Neurology	Audubon	PA	PA	X		
Janet Brown, MSN, APRN, MSCN* Advanced Neuroscience Institute	Franklin	TN		X	X	X
Marilean Bubse, RN, PhD, NP* State University of NY Stony Brook School of Nursing	East Meadow	NY	NY	X		
Tina Butterfield, RN Jacksonville Neurological Clinic	Jacksonville	FL		X	X	X
Ann Cabot, DO* Upper Valley Neurology Neurosurgery PC MS Clinic of New Hampshire	Lebanon	NH		X		
Jean Baldke Cain, RN* Lehigh Valley Physicians, Lehigh Valley Hospital	Allentown	PA		X		
Greg Clauser, MD* Lehigh Valley Physicians, Lehigh Valley Hospital	Allentown	PA		X		
Vincent DiGiovanni, MD Geisinger Wyoming Valley Medical Center	Wilkes-Barre	PA		X	X	X
Amy Dix, PA College Park Neurology	Overland Park	KS	KS	X	X	X
Colby Doepel, NP* Andrew C. Carlos MS Institute	Atlanta	GA		X	X	X
Connie Easterling, ARNP, MSCN* Neurological Services of Orlando	Orlando	FL	FL	X	X	X

H.P. **Acthar® GEL**
(repository corticotropin injection) 80 U/ml.

*=MS Specialist



Approved Speakers Cont'd

Name and Affiliation/Office	City	State	HCP Speaker	Meet-the-Expert	Patient
Warden E. Emery III, MD, FAAN Emery Neuroscience Center	Lighthouse Point				
Michele Emmons RN, BSN, MSCR* CentraState Medical Center	Freehold	NJ	X	X	X
Mary Filippi, PhD, RN, ARNP* Nebraska Medical Center	Omaha	NE	X	X	X
John Foley, MD* Rocky Mountain Neurological Associates	Salt Lake City	UT	X	X	X
Dennis Garwick, MD Saint Francis Medical Center University of Illinois School of Medicine	Peoria	IL	X		
Scott L. Gold, MD* Melbourne Internal Medicine Association	Melbourne	FL	X	X	
Jeffrey Groves, MD Central Utah Clinic	Provo	UT	X	X	X
Ruwani D. P. Gunawardane, MD Maryland Neurological Center	Columbia	MD	X		
Jori Guyton, MD Neurology of Southern Illinois, Ltd.	Herrin	IL	X		
Lee J. Harris, MD Abington Memorial Hospital	Abington	PA	X	X	X
Barry A. Hendin, MD Banner Good Samaritan Hospital	Phoenix	AZ	X		
Kay A. Hilkey, RN, MSCR* Fort Wayne Neurological Center MS Institute	Fort Wayne	IN	X	X	X
Nicole Hughes, RN, MSN, CNP University of Minnesota Physicians	Minneapolis	MN	X	X	X
Adil Javed, MD, PhD* University of Chicago Hospitals	Chicago	IL	X		
Daniel Kantor, MD Neurologique	Ponte Vedra	FL	X		
Lance Kim, DO Ocala Regional Medical Center Munroe Regional Medical Center	Ocala	FL	X	X	X
Robert L. Knobler, MD Knobler Institute of Neurologic Disease	Fort Washington	MD	X		
Theresa LaRocca, RN, BSN, MSCR* Linda Morgante MS Care Center at Maimonides Medical Center	Brooklyn	NY	X		
William Leinster, MD Sinai-Grace Hospital	Detroit	MI	X	X	X
K. Alvin Lloyd, MD Riverside Hampton Roads Neurology	Newport News	VA	X		
Brenda Watkins Mays, RN, BSN Neurology Center of San Antonio	San Antonio	TX	X		X
Bennett Irving Mechanic, MD, FAAN Private Practice	Denver	CO	X	X	X

H.P. Acthar® GEL
(repository corticotropin injection) 80 IU/ml

*= MS Specialist



APPROVED SPEAKERS (Cont'd)

Name and Affiliation/Office	City	SI	HCP Speaker Programs	Meet-the-Expert	Patient Speaker Programs
Wade E. Emery, III, MD, FAAN Emery Neuroscience Center	Lighthouse Point	FL	X	X	X
Michele Emmons RN, BSN, MSCR* CentraState Medical Center	Freehold	NJ	X	X	X
Mary Filipi, PhD, RN, ARNP Nebraska Medical Center	Omaha	NE	X	X	X
John Foley, MD* Rocky Mountain Neurological Associates	Salt Lake City	UT	X	X	X
Dennis Garwick, MD Saint Francis Medical Center University of Illinois School of Medicine	Peoria	IL	X		
Scott L. Gold, MD* Melbourne Internal Medicine Association	Melbourne	FL	X	X	
Jeffrey Groves, MD Central Utah Clinic	Provo	UT	X	X	X
Ruwani D. P. Gunawardane, MD Maryland Neurological Center	Columbia	MD	X		
Lori Guyton, MD Neurology of Southern Illinois, Ltd.	Hermitage	IL	X		
Lee J. Harris, MD Abington Memorial Hospital	Abington	PA	X	X	X
Barry A. Hedin, MD Banner Good Samaritan Hospital	Phoenix	AZ	X		
Kay A. Hilkey, RN, MSCR* Fort Wayne Neurological Center MS Institute	Fort Wayne	IN	X	X	X
Nicole Hughes, RN, MSN, CNP University of Minnesota Physicians	Minneapolis	MN	X	X	X
Adil Javed, MD, PhD* University of Chicago Hospitals	Chicago	IL	X		
Daniel Kantor, MD Neurologique	Ponte Vedra	FL	X		
Lance Kim, DO Ocala Regional Medical Center Munroe Regional Medical Center	Ocala	FL	X	X	X
Robert L. Knobler, MD Knobler Institute of Neurologic Disease	Fort Washington	PA	X		
Theresa LaRocca, RN, BSN, MSCR* Linda Morgante MS Care Center at Maimonides Medical Center	Brooklyn	NY	X		
William Leichter, MD Sinai-Grace Hospital	Detroit	MI	X	X	X
K. Alvin Lloyd, MD Riverside Hampton Roads Neurology	Newport News	VA	X		
Brenda Watkins Maas, RN Neurology Center of San Antonio	San Antonio	TX	X		X
Bennett Irving Mechanic, MD, FAAN Private Practice	Denver	CO	X	X	X

H.P. Acthar® GEL
(repository corticotropin injection) 80 IU/ml.

*= MS Specialist



Audiology/Speakers' Contact Information		City	ST	HCP Speaker Programs	Meet the Expert	Patient Speaker Programs
Name/Office/Location	Phone/Fax					
Valerie Masotti, PA Mid-Atlantic Neurology & Sleep Medicine	301-467-1000	Wilmington	DE	X		
Michael Mazowiecki, MD Neurological Institute of Western Pennsylvania	412-231-3000	Greensburg	PA	X	X	X
Maria Melanson, MD* Waddell Center for Multiple Sclerosis University of Cincinnati	513-558-4400	Cincinnati	OH	X	X	
Elliot M. Michel, MD Valley Neurology, Inc.	724-222-1111	Tarentum	PA	X		
Tamara Ann Miller, MD Advanced Neurology of Colorado	303-455-1111	Fort Collins	CO	X	X	
Harold Moses, Jr, MD* Vanderbilt Stallworth Rehab Hospital	615-322-4000	Nashville	TN	X		
Shanan Munoz, MD Plano Neurology	972-237-1111	Plano	TX	X	X	X
Salvatore Napoli, MD* Caritas Foxboro and Norwood Hospital	508-623-1111	Foxboro	MA	X	X	X
Amy Neal, PA* Mandell Center of Multiple Sclerosis Mt. Sinai Rehabilitation Hospital	314-993-1111	Harford	MD	X	X	
Donald Negroski, MD* Medical College of Ohio	513-884-1111	Sarasota	FL	X		
Sangjin Oh, MD Private Practice	314-993-1111	Glen Burnie	MD	X	X	X
Sean Christopher Orr, MD Baptist Neurology	904-737-1111	Jacksonville	FL	X		
Tomasina Papis-Rusino, MD Monmouth Ocean Neurology	732-549-1111	Toms River	NJ	X		
Dhruv R. Patel, MD Neurology Center	412-231-3000	Elyria	OH	X		
Ajlan Brian Perel, MD* Richmond University Medical Center Alpha Neurology	804-328-1111	Staten Island	NY	X	X	X
Amy Perrin Ross, APN, MSN, CNRN, MSCN* Loyola University of Chicago MS Clinic	773-299-1111	Oakbrook	IL	X	X	X
Dottie Pfohl, RN, BS, MSGN University of Pennsylvania Medical Center	215-571-1111	Philadelphia	PA	X		
Mary Ann Picone, MD* Holy Name Hospital	201-643-1111	Teaneck	NJ	X	X	X
Colby Powell, PA Private Practice	301-467-1000	Pottsville	PA	X		
Clifford Reed, MD Reading Hospital & Medical Center	610-375-1111	Reading	PA	X	X	X

H.P Acthar® GEL
(repository corticotropin injection) 80U/ml

*= MS Specialist



AUDIOLOGY Speakers Cont'd		City	ST	HCP Speaker Programs	Meet-the-Expert	Patient Speaker Programs
Name and Affiliation	Office					
Valerie Minsotti, PA	Mid-Atlantic Neurology & Sleep Medicine	Wilmington	DE	X		
Michael Mazowiecki, MD	Neurological Institute of Western Pennsylvania	Greensburg	PA	X	X	X
Maria Melanson, MD*	Waddell Center for Multiple Sclerosis University of Cincinnati	Cincinnati	OH	X	X	
Elliot M. Michel, MD	Valley Neurology, Inc.	Tarentum	PA	X		
Tamara Ann Miller, MD*	Advanced Neurology of Colorado	Fort Collins	CO	X	X	
Harold Moses, Jr. MD*	Vanderbilt Stallworth Rehab Hospital	Nashville	TN	X		
Shanan Munoz, MD	Plano Neurology	Plano	TX	X	X	X
Salvatore Napoli, MD*	Caritas Foxboro and Norwood Hospital	Foxboro	MA	X	X	X
Amy Neal, PA*	Mandell Center of Multiple Sclerosis Mt. Sinai Rehabilitation Hospital	Harford	MD	X	X	
Donald Negroski, MD*	Medical College of Ohio	Sarasota	FL	X		
Sangjin Oh, MD	Private Practice	Glen Burnie	MD	X	X	X
Sean Christopher Orr, MD	Baptist Neurology	Jacksonville	FL	X		
Tommasina Papi-Rugino, MD	Monmouth/Ocean Neurology	Toms River	NJ	X		
Dhruv R. Patel, MD	Neurology Center	Elyria	OH	X		
Allan Brian Perel, MD*	Rhône-Alpes University Medical Center Alpha Neurology	Staten Island	NY	X	X	X
Amy Perrin Ross, APN, MSN, CNRN, MSCN*	Loyola University of Chicago MS Clinic	Oakbrook	IL	X	X	X
Dottie Pfohl, RN, BS, MSN*	University of Pennsylvania Medical Center	Philadelphia	PA	X		
Mary Ann Picone, MD*	Holy Name Hospital	Teaneck	NJ	X	X	X
Colby Powell, PA	Private Practice	Pottsville	PA	X		
Clifford Reed, MD	Reading Hospital & Medical Center	Reading	PA	X	X	X

H.P. Acthar® GEL
(repository corticotropin injection) 80 IU/ml

*=MS Specialist